


20 Years of String Theory In Munich

Dieter Lüst, LMU (ASC) and MPP Garching



Course Summer Term 2025 at LMU

Outline (preliminary)

08. May: Intersecting Brane Worlds Models
(Chios, 2004)

15. May: Moduli Stabilisation and Entropy
Maximization in Type II Calabi-Yau
compactifications
(Eurostrings Cambridge, 2006)

21. May: String Amplitudes for the LHC in
D-brane Compactifications (Dublin, 2009)

28. May: Emergent String Geometry from
Particles Species (Corfu, 2011)

12. June: Strings and non-commutative/non-
associative geometry (**Corfu, 2012**)

18. June: Classical and Quantum Black Hole Hair
(**Cuba, 2016**)

3. July: Higher Spin Theories, AdS Distance and
the Swampland (**StringPheno CERN, 2019**)

10. July: Minimal Black Holes and Species
Thermodynamics (**Harvard, 2023**)

17. July: Swampland and Dark Relations
(**Sifnos, 2024**)

Intersecting Brane Models

(8. May 2025)

Primary Goals:

- Derive the (supersymmetric) Standard Model from String Compactifications.
- Derive the couplings and the low energy effective action of the SM fields.

State of the art in 2003/2004:

- Heterotic string constructions: Calabi-Yau compactifications, orbifolds, fermionic and bosonic constructions.
- Effective SUGRA models, SUSY breaking by non-perturbative gaugino condensation.

Intersecting Brane Models

(8. May 2025)

Further progress in the field:

- Moduli stabilization and SUSY breaking by fluxes (KKLT)
- F-theory compactifications
- Swampland constraints (exclusion from bottom-up)

Yet no fully complete derivation of the SM from string theory.

Intersecting Brane Models

(8. May 2025)

C.~Bachas,

``A Way to break supersymmetry,' '[arXiv:hep-th/9503030 [hep-th]].

R.~Blumenhagen, L.~Görlich, B.~Körs and D.~Lüst,

``Noncommutative compactifications of type I strings on tori with magnetic background flux,''
JHEP \textbf{10} (2000), 006 [arXiv:hep-th/0007024 [hep-th]].

C.~Angelantonj, I.~Antoniadis, E.~Dudas and A.~Sagnotti,

``Type I strings on magnetized orbifolds and brane transmutation,''

Phys. Lett. B \textbf{489} (2000), 223–232 [arXiv:hep-th/0007090 [hep-th]].

L.~E.~Ibanez, F.~Marchesano and R.~Rabadan,

``Getting just the standard model at intersecting branes,''
JHEP \textbf{11} (2001), 002 [arXiv:hep-th/0105155 [hep-th]].

R.~Blumenhagen, B.~Körs, D.~Lüst and T.~Ort, T.~Ort,

``The standard model from stable intersecting brane world orbifolds,''

Nucl. Phys. B \textbf{616} (2001), 3–33 [arXiv:hep-th/0107138 [hep-th]].

M.~Cvetic, G.~Shiu and A.~M.~Uranga,

``Chiral four-dimensional N=1 supersymmetric type 2A orientifolds from intersecting D6
branes,''
Nucl. Phys. B \textbf{615} (2001), 3–32
arXiv:hep-th/0107166 [hep-th]].

R.~Blumenhagen, B.~Körs, D.~Lüst and S.~Stieberger,

``Four-dimensional String Compactifications with D-Branes, Orientifolds and Fluxes,''

Phys. Rept. \textbf{445} (2007), 1–193 [arXiv:hep-th/0610327 [hep-th]].

Moduli Stabilisation and Entropy Maximisation in Type II Calabi-Yau Compactifications

Primary Goals:

(15. May 2025)

- Stabilization of all moduli and mass generation for all scalar field
- Breaking of space-time supersymmetry
- Search for de Sitter vacua with a small positive cosmological constant

State of the art in 2006:

- Construction of flux vacua for type IIB (GKP)
- Non-perturbative superpotentials (also known from heterotic strings in the 90's)
- KKLT anti-brane uplift (also known from DT)

Moduli Stabilisation and Entropy Maximisation in Type II Calabi-Yau Compactifications

Further progress in the field:

(15. May 2025)

- A lot of challenges for KKLT were identified:
 - Stability problems of the anti-brane uplift, tadpole constraints, scale separation, ...
 - Swampland constraints against de Sitter and scale separation
 - General quantum gravity arguments against de Sitter
- Many explicit KKLT constructions
- Swampland: the Dark Dimension scenario

Still a lot of controversial debate about KKLT and de Sitter vacua. So after 22 years the issue is not yet settled !

Moduli Stabilisation and Entropy Maximisation in Type II Calabi-Yau Compactifications

(15. May 2025)

T.~R.~Taylor and C.~Vafa,

``R R flux on Calabi-Yau and partial supersymmetry breaking,''

Phys. Lett. B \textbf{474} (2000), 130–137 [[arXiv:hep-th/9912152 \[hep-th\]](#)].

S.~Gukov, C.~Vafa and E.~Witten, ``CFT's from Calabi-Yau four folds,''

Nucl. Phys. B \textbf{584} (2000), 69–108

[erratum: Nucl. Phys. B \textbf{608} (2001), 477–478] [[arXiv:hep-th/9906070 \[hep-th\]](#)].

P.~Mayr, ``On supersymmetry breaking in string theory and its realization in brane worlds,''

Nucl. Phys. B \textbf{593} (2001), 99–126 [[arXiv:hep-th/0003198 \[hep-th\]](#)].

R.~Bousso and J.~Polchinski,

``Quantization of four form fluxes and dynamical neutralization of the cosmological constant,''
JHEP \textbf{06} (2000), 006 [[arXiv:hep-th/0004134 \[hep-th\]](#)].

G.~Curio, A.~Klemm, D.~Lüst and S.~Theisen,

``On the vacuum structure of type II string compactifications on Calabi-Yau spaces with H fluxes,''
Nucl. Phys. B \textbf{609} (2001), 3–45 [[arXiv:hep-th/0012213 \[hep-th\]](#)].

S.~B.~Giddings, S.~Kachru and J.~Polchinski,

``Hierarchies from fluxes in string compactifications,''
Phys. Rev. D \textbf{66} (2002), 106006 [[arXiv:hep-th/0105097 \[hep-th\]](#)].

R.~Blumenhagen, D.~Lüst and T.~R.~Taylor,

``Moduli stabilization in chiral type IIB orientifold models with fluxes,''

Nucl. Phys. B \textbf{663} (2003), 319–342 [[arXiv:hep-th/0303016 \[hep-th\]](#)].

S.~Kachru, R.~Kallosh, A.~D.~Linde and S.~P.~Trivedi,

``De Sitter vacua in string theory,''
Phys. Rev. D \textbf{68} (2003), 046005

[[arXiv:hep-th/0301240 \[hep-th\]](#)].

String Amplitudes for the LHC in D-brane Compactifications

(21. May 2025)

Primary Goals:

- Explore the generic signatures of 4-dimensional string vacua.

State of the art in 2009:

- LHC was not yet running: a lot of hope for SUSY
- Large extra dimension (millimeter) and TeV string scale scenarios by ADD: electroweak hierarchy problem
- Large volume string constructions (LVS)

String Amplitudes for the LHC in D-brane Compactifications

(21. May 2025)

Further progress in the field:

- LHC took a lot of data
 - Higgs discovery in 2012
 - No discovery of SUSY, strings or extra dimensions at LHC
- Dark Dimension scenario with micro scale extra dimension:
cosmological hierarchy problem

String Amplitudes for the LHC in D-brane Compactifications

(21. May 2025)

N.~Arkani-Hamed, S.~Dimopoulos and G.~R.~Dvali,
``The Hierarchy problem and new dimensions at a millimeter,''
Phys. Lett. B \textbf{429} (1998), 263–272 [[arXiv:hep-ph/9803315 \[hep-ph\]](#)].

I.~Antoniadis, N.~Arkani-Hamed, S.~Dimopoulos and G.~R.~Dvali,
``New dimensions at a millimeter to a Fermi and superstrings at a TeV,''
Phys. Lett. B \textbf{436} (1998), 257–263, [[arXiv:hep-ph/9804398 \[hep-ph\]](#)].

S.~Cullen, M.~Perelstein and M.~E.~Peskin,
``TeV strings and collider probes of large extra dimensions,''
Phys. Rev. D \textbf{62} (2000), 055012, [[arXiv:hep-ph/0001166 \[hep-ph\]](#)].

V.~Balasubramanian, P.~Berglund, J.~P.~Conlon and F.~Quevedo,
``Systematics of moduli stabilisation in Calabi-Yau flux compactifications,''
JHEP \textbf{03} (2005), 007, [[arXiv:hep-th/0502058 \[hep-th\]](#)].

D.~Lüst, S.~Stieberger and T.~R.~Taylor,
``The LHC String Hunter's Companion,''
Nucl. Phys. B \textbf{808} (2009), 1–52 [[arXiv:0807.3333 \[hep-th\]](#)].

L.~A.~Anchordoqui, H.~Goldberg, D.~Lüst, S.~Nawata, S.~Stieberger and T.~R.~Taylor,
``Dijet signals for low mass strings at the LHC,''
Phys. Rev. Lett. \textbf{101} (2008), 24180, [[arXiv:0808.0497 \[hep-ph\]](#)].

Emergent String Geometry from Particles Species

(28. May 2025)

Primary Goals:

- Understanding of the quantum nature of gravity and of space-time. Is gravity a fundamental force or does it emerge as an effective force (in the IR) from some underlying basic description (in the UV)?

State of the art in 2011:

- The phenomenon of emerge was discussed in the literature in many instances: effective gauge theories with composite gauge bosons, composite hadrons, statistical physics, biophysics,
.....

Emergent String Geometry from Particles Species

(28. May 2025)

Further progress in the field:

- **Swampland considerations gave a new perspective on emergence in quantum gravity**
 - Integration over species
 - Emergence of gauge kinetic terms
 - Emergence of higher order curvature terms

Emergent String Geometry from Particles Species

(28. May 2025)

A.~D'Adda, M.~Lüscher and P.~Di Vecchia,

``A $1/n$ Expandable Series of Nonlinear Sigma Models with Instantons,''

Nucl. Phys. B \textbf{146} (1978), 63–76

G. Dvali, ``Black Holes and Large N Species Solution to the Hierarchy Problem,''

Fortsch. Phys. \textbf{58} (2010), 528–536 [[arXiv:0706.2050 \[hep-th\]](#)].

G.~Dvali and D.~Lüst,

``Evaporation of Microscopic Black Holes in String Theory and the Bound on Species,''

Fortsch. Phys. \textbf{58} (2010), 505–527, [[arXiv:0912.3167 \[hep-th\]](#)].

G.~Dvali, C.~Gomez and D.~Lüst, ``Black Hole Quantum Mechanics in the Presence of Species,''

Fortsch. Phys. \textbf{61} (2013), 768–778, [[arXiv:1206.2365 \[hep-th\]](#)].

D.~Harlow, ``Wormholes, Emergent Gauge Fields, and the Weak Gravity Conjecture,''

JHEP \textbf{01} (2016), 122, [[arXiv:1510.07911 \[hep-th\]](#)].

B.~Heidenreich, M.~Reece and T.~Rudelius,

``The Weak Gravity Conjecture and Emergence from an Ultraviolet Cutoff,''

Eur. Phys. J. C \textbf{78} (2018) no.4, 337, [[arXiv:1712.01868 \[hep-th\]](#)].

T.~W.~Grimm, E.~Palti and I.~Valenzuela,

``Infinite Distances in Field Space and Massless Towers of States,''

JHEP \textbf{08} (2018), 143, [[arXiv:1802.08264 \[hep-th\]](#)].

B.~Heidenreich, M.~Reece and T.~Rudelius,

``Emergence of Weak Coupling at Large Distance in Quantum Gravity,''

Phys. Rev. Lett. \textbf{121} (2018) no.5, 051601, [[arXiv:1802.08698 \[hep-th\]](#)].

Emergent String Geometry from Particles Species

(28. May 2025)

A.~Castellano, A.~Herraez and L.~E.~Ibinez,
``Towers and hierarchies in the Standard Model from Emergence in Quantum Gravity,''
JHEP \textbf{10} (2023), 172, [arXiv:2302.00017 [hep-th]].

R.~Blumenhagen, N.~Cribiori, A.~Gligovic and A.~Paraskevopoulou,
``Demystifying the Emergence Proposal,''
JHEP \textbf{04} (2024), 053
[arXiv:2309.11551 [hep-th]].

R.~Blumenhagen, N.~Cribiori, A.~Gligovic and A.~Paraskevopoulou,
``Emergent M-theory limit,''
Phys. Rev. D \textbf{109} (2024) no.2, L021901, [arXiv:2309.11554 [hep-th]].

R.~Blumenhagen, N.~Cribiori, A.~Gligovic and A.~Paraskevopoulou,
``Emergence of R^4 -terms in M-theory,''
JHEP \textbf{07} (2024), 018, [arXiv:2404.01371 [hep-th]].

M.~Artime, R.~Blumenhagen and A.~Paraskevopoulou,
``Emergence of F^4 -couplings in Heterotic/Type IIA Dual String Theories,''
[arXiv:2504.05392 [hep-th]].